

Historic, Archive Document

Do not assume content reflects current
scientific knowledge, policies, or practices.

1280.3479

7134P POULTRY

Slaughtered under Federal Inspection and Poultry
Used in Canning and Other Processed Foods
June 1967

AUG 25 1967

August 3, 1967
CURRENT SERIAL RECORDS

Inspected Poultry - A total of 963,847,000 pounds live weight (chickens, turkeys, and ducks combined) were inspected for slaughter during June 1967 under the Poultry Inspection Act carried on by the U.S.D.A. This was 6 percent more than the previous month and 9 percent more than June 1966.

The number of head and pounds (live weight) inspected by classes in June 1967 were young chickens, 218,785,000 head, 764,173,000 pounds; mature chickens, 13,755,000 head, 62,771,000 pounds; fryer-roaster turkeys, 1,162,000 head, 10,266,000 pounds; young turkeys, 5,964,000 head, 103,891,000 pounds; old turkeys, 735,000 head, 14,500,000 pounds; and ducks, 1,284,000 head, 8,246,000 pounds.

Certified Poultry - The quantity of poultry certified as wholesome in June 1967 totaled 697,375,000 pounds ready-to-cook weight of which 544,045,000 pounds were chilled and 153,330,000 pounds were frozen. Total pounds certified by class of poultry were as follows: young chickens, 547,999,000 pounds; mature chickens, 40,762,000 pounds; fryer-roaster turkeys, 7,895,000 pounds; young turkeys, 82,975,000 pounds; old turkeys, 11,481,000 pounds; ducks 5,928,000 pounds; and other poultry, 335,000 pounds.

Canned and Processed Poultry - Poultry inspected and used for canning and other processed food in June 1967 totaled 84,489,000 pounds ready-to-cook weight, compared with 71,923,000 pounds in June 1966. The quantity used in June 1967 consisted of 22,547,000 pounds of young chickens, 29,098,000 pounds of mature chickens, 26,670,000 pounds of turkeys, and 6,174,000 pounds of other poultry.

Cut-up Poultry - Poultry cut-up and packaged in Federally inspected plants during June 1967 totaled 110,404,000 pounds ready-to-cook weight compared with 109,675,000 pounds in June 1966. The breakdown by classes for June 1967 consisted of 100,732,000 pounds of young chickens, 571,000 pounds of mature chickens, 9,048,000 pounds of turkeys, and 53,000 pounds of other poultry.

Ante-mortem condemnations amounted to 3,187,000 pounds live weight for all classes. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 0.31 percent; mature chickens, 0.84 percent; fryer-roaster turkeys, 0.25 percent; young turkeys, 0.20 percent; old turkeys, 0.22 percent; and ducks, 0.02 percent.

Post-mortem condemnations in June 1967 amounted to 30,103,000 pounds (NYD weight) for all types of poultry. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 3.70 percent; mature chickens, 4.16 percent; fryer-roaster turkeys, 1.75 percent; young turkeys, 1.92 percent; old turkeys, 2.94 percent; and ducks, 1.15 percent.

Poultry: Slaughtered under Federal Inspection, June 1967 with comparisons

Class	Number inspected			Pounds inspected (live weight)			Average live weight					
	:			:			:		:		:	
	May 1967	June 1966	January-June 1967	May 1967	June 1966	January-June 1967	May 1967	June 1966	May 1967	June 1966	May 1967	June 1966
	Thou.	Thou.	Thou.	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds
Young chickens	217,440	207,644	218,785	1,076,948	1,159,892	772,635	718,870	14,374	10,266	59,031	58,638	8.69
Mature chickens	13,982	11,639	13,755	69,987	87,035	66,209	54,295	72,319	103,891	176,297	255,820	17.02
Total chickens	231,422	219,283	232,540	1,146,935	1,246,927	838,844	773,165	88,693	214,157	275,128	314,458	20.32
Fryer-roasters	1,140	1,642	1,162	6,745	6,596	9,911	14,374	10,266	59,031	58,638	8.69	8.75
Young turkeys	2,458	4,257	5,964	9,475	13,730	41,829	72,319	103,891	176,297	255,820	17.02	16.99
Old turkeys	346	664	735	1,259	1,387	7,030	13,179	14,500	25,082	27,498	20.32	19.85
Total turkeys	3,944	6,563	7,861	17,479	21,713	58,770	99,872	128,657	260,410	341,956	14.90	15.22
Ducks	1,188	1,424	1,284	4,433	4,482	7,754	9,083	8,246	28,518	28,719	6.53	6.38
Other poultry	---	---	---	---	---	365	811	558	2,017	1,841	---	---
Total poultry	---	---	---	---	---	905,733	882,931	964,405	4,357,978	4,862,337	---	---

1/ Of the mature chickens inspected, the number reported in thousands as heavy fowl (broiler breeding stock) was May 1967, 2,490; June 1966, 1,799; and June 1967, 1,780.

2/ Of the young turkeys inspected, the number reported in thousands as young banded breeders was: May 1967, 213; June 1966, 557; and June 1967, 596.

Pounds certified (ready-to-cook weights)

Class	:			:			:					
	:			:			:		:		:	
	May 1967	June 1966	January-June 1967	May 1967	June 1966	January-June 1967	May 1967	June 1966	May 1967	June 1966	May 1967	June 1966
	Chilled	Frozen	Total	Chilled	Frozen	Total	Chilled	Frozen	Total	Chilled	Frozen	Total
	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds
Young chickens	497,782	54,214	551,996	460,901	53,397	514,298	494,939	53,060	547,999	2,390,920	286,816	2,677,736
Mature chickens	32,177	11,095	43,272	25,745	9,751	35,496	31,282	9,480	40,762	158,423	55,073	213,496
Total chickens	529,959	65,309	595,268	486,646	63,148	549,794	526,221	62,540	588,761	2,549,343	341,889	2,891,232
Fryer-roasters	2,413	5,132	7,545	2,349	8,768	11,117	2,104	5,791	7,895	8,499	37,511	45,920
Young turkeys	7,317	25,862	33,179	14,345	43,517	57,862	14,267	68,708	82,975	37,310	103,102	140,412
Old turkeys	508	5,119	5,627	1,683	8,790	10,473	1,404	10,077	11,481	3,246	16,673	19,919
Total turkeys	10,238	36,113	46,351	18,377	61,075	79,452	17,775	84,576	102,351	48,965	157,286	206,251
Ducks	140	5,383	5,523	298	6,269	6,567	42	5,886	5,928	1,335	19,193	20,528
Other poultry	6	207	213	5	526	531	7	328	335	28	1,229	1,257
Total poultry	540,343	107,012	647,355	505,326	131,018	636,344	544,045	153,330	697,375	2,599,671	519,597	3,119,268

1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000 1,000

Poultry: Condemnations of poultry slaughtered under Federal Inspection, June 1967 with comparisons

Class	Ante-mortem condemnations				Post-mortem condemnations			
	Pounds (live weight)		Pounds (live weight)		Pounds (live weight)		Pounds (live weight)	
	June	1967	June	1967	June	1967	June	1967
	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds
			Pct.	Pct.			Pct.	Pct.
Young chickens	2,551	2,393	0.35	0.31	11,994	20,759	25,348	3.22
Mature chickens	378	528	.70	.84	2,608	1,919	2,331	3.95
Total chickens	2,929	2,921	.38	.35	14,602	22,678	27,679	3.27
Fryer-roasters	27	25	.19	.25	104	155	161	1.48
Young turkeys	148	207	.20	.20	337	1,105	1,790	1.70
Old turkeys	24	32	.18	.22	55	308	383	2.60
Total turkeys	199	264	.20	.21	496	1,604	2,334	1.79
Ducks	1	1	.01	.02	3	81	85	.99
Other poultry	1	1	.12	.18	1	7	5	.97
Total	3,130	3,187	.35	.33	12,307	15,306	24,370	3.08

1/ Pounds condemned as percent of pounds (live weight) inspected. Percentage based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

Poultry: Inspected for canning and other processed foods, June 1967 with comparisons 1/

Class	Pounds used ready-to-cook weight				Pounds condemned ready-to-cook weight			
	May		June		May		June	
	1967	1966	1967	1966	1967	1966	1967	1966
	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds
Young chickens	19,474	17,273	22,547	88,123	105,520	82	66	87
Further processed	104,351	102,150	100,732	532,801	588,119	---	---	---
Cut up								
Mature chickens	30,095	24,120	29,098	156,377	180,133	20	46	97
Further processed	757	330	571	4,608	4,107	---	---	---
Cut up								
Turkeys	23,813	25,731	26,670	143,788	151,449	36	13	21
Further processed	10,241	7,134	9,048	34,302	46,108	---	---	---
Cut up								
Other poultry 2/	7,956	4,799	6,174	28,898	43,696	9	2	19
Further processed	70	61	53	457	408	---	---	---
Cut up								
Total	81,338	71,923	84,489	417,186	480,798	147	127	173
Further processed	115,419	109,675	110,404	572,168	638,742	---	---	---
Cut up								

1/ All poultry inspected for canning and further processing and cut up and packaged in plants under Federal inspection.

2/ Poultry parts and fat used in further processing that cannot be identified by class are included in "other poultry."

Young chickens: Slaughtered under Federal Inspection, by regions and selected States, June 1966 and 1967

Region and State	Number inspected	Pounds		Average live weight inspected 1/		Total pounds certified		Post-mortem condemnations	
		1966	1967	1966	1967	1966	1967	1966	1967
N. Atl.	Thou.	15,840	14,453	61,113	56,117	3,86	3,88	1,000	1,000
E. N. Cent.		2,563	2,461	9,753	9,378	3.81	3.81	1,984	2,033
W. N. Cent.		3,927	4,177	13,641	14,344	3.47	3.43	125	146
S. Atl.		89,197	91,488	314,638	324,578	3.52	3.55	387	322
S. Cent.		91,602	101,227	303,189	341,882	3.31	3.38	10,070	12,827
West		4,515	4,979	16,536	17,874	3.66	3.59	7,880	9,406
U. S.		207,644	218,785	718,870	764,173	3.46	3.49	313	614
Maine		6,626	6,785	25,580	26,160	3.86	3.86	20,759	25,348
Pa.		8,291	6,808	32,058	26,642	3.87	3.91	764	795
Ohio		121	27	443	108	3.66	3.92	1,124	1,162
Ind. 3/		---	---	---	3,600	---	3.60	6	8
Ill.-Mich. 4/		28	10	176	71	6.29	7.12	---	41
Wis.		1,357	1,424	5,312	5,599	3.91	3.93	129	1
Mo.		3,187	3,500	11,845	11,893	3.39	3.38	65	96
Del.		8,492	8,400	31,993	31,993	3.86	3.81	345	291
Md.		12,594	13,332	47,507	50,107	3.77	3.76	1,251	1,367
Va.		4,535	4,734	14,022	14,773	3.09	3.12	1,714	2,011
N. C.		23,743	22,876	83,869	81,802	3.53	3.58	401	480
S. C.		2,411	2,552	8,265	8,718	3.43	3.42	2,596	2,744
Ga.		35,944	37,593	123,537	130,424	3.44	3.47	373	354
Ky. 3/		1,426	---	4,917	---	3.45	---	3,651	5,736
Tenn.		6,214	5,994	21,151	20,821	3.40	3.47	68	---
Ala.		23,953	25,160	81,900	86,616	3.42	3.44	572	797
Miss.		14,835	15,210	49,294	50,496	3.32	3.32	2,026	2,309
Ark.		28,834	33,058	91,330	108,667	3.17	3.29	1,157	995
La.-Okla. 4/		4,850	6,401	16,336	21,941	3.37	3.43	2,638	3,382
Texas		11,490	13,940	38,261	47,934	3.33	3.44	459	669
Idaho 3/		491	---	1,756	---	3.58	---	960	1,171
Wash.		985	1,147	3,698	4,214	3.75	3.67	38	---
Calif.		2,586	2,744	9,437	9,938	3.65	3.62	44	100
								205	353

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Data for only 1 year published in order to avoid disclosure of individual operations.

4/ Combined to avoid disclosure of individual operations.

Young chickens: Number condemned post-mortem by cause, by regions and selected States, June 1967

Region and State	Tuber- culosis:		Leu- kosis:		Septi- cemia:		Airsac- culitis:		Synovitis:		Tumors:		Bruises:		Cadaver:		Contam- ination:		Over- scald:		Other:		Total	
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	258,288	102,700	139,565	7,231	1,401	2,425	11,761	18,778	1,563	19,596	563,308												
E. M. Cent.	---	7,744	12,174	9,805	1,126	344	1,256	1,569	3,983	636	700	39,337												
W. M. Cent.	---	30,797	25,008	24,916	4,219	268	1,576	2,807	5,265	749	4,356	99,961												
S. Atl.	71	1,631,149	523,347	1,069,356	66,096	8,066	30,241	80,228	199,482	14,982	98,908	3,721,926												
S. Cent.	---	656,181	581,796	933,864	83,360	10,676	33,034	90,117	131,101	18,441	81,383	2,619,953												
West.	---	67,168	30,381	74,045	3,992	347	1,254	2,813	5,180	2,073	18,629	205,882												
U. S.	71	2,651,327	1,275,406	2,251,551	166,024	21,102	69,786	189,295	363,789	38,444	223,572	7,250,367												
Maine	---	100,610	47,370	32,608	2,691	508	1,065	5,620	8,574	337	6,062	205,445												
Pa.	---	150,577	49,908	105,746	4,257	634	1,128	5,579	8,358	1,143	11,406	338,736												
Ohio	---	101	212	396	30	19	26	19	657	---	474	1,934												
Ind.	---	2,945	3,134	1,868	901	70	420	463	890	218	4	10,913												
Ill.-Mich. 1/	---	108	49	5	3	35	---	25	8	1	5	239												
Wis.	---	4,590	8,779	7,536	192	220	810	1,062	2,428	417	217	26,251												
Mo.	---	29,219	21,894	24,481	4,114	187	1,212	2,491	4,313	738	3,073	91,722												
Del.	71	257,960	47,511	120,364	4,919	555	1,255	5,797	12,375	561	8,003	459,371												
Md.	---	345,401	62,086	144,485	7,699	1,033	2,213	10,220	15,616	3,956	4,898	597,607												
Va.	---	94,052	34,185	43,824	1,007	99	1,130	3,199	3,559	137	1,662	182,354												
N. C.	---	215,867	159,361	263,733	16,827	1,859	8,755	21,090	46,671	3,761	23,217	761,141												
S. C.	---	56,125	11,290	32,371	500	196	1,117	2,546	7,006	493	1,222	112,866												
Ga.	---	642,811	199,894	451,570	34,285	4,196	15,401	36,534	113,681	6,007	58,459	1,562,838												
Tenn.	---	34,069	25,634	111,963	8,187	256	1,437	3,546	10,176	546	13,790	209,604												
Ala.	---	158,962	118,878	226,445	12,304	3,265	7,970	20,724	49,156	3,753	17,621	619,078												
Miss.	---	62,167	27,587	87,320	5,128	1,224	5,488	11,620	13,699	4,129	12,970	231,332												
Ark.	---	283,432	272,382	347,825	34,706	2,694	8,147	30,542	31,299	4,558	17,303	1,032,888												
La.-Okla. 1/	---	52,426	57,138	49,701	6,353	601	2,090	5,912	9,520	1,893	4,950	190,584												
Texas	---	63,094	74,973	101,034	15,710	2,330	6,768	16,894	14,817	2,686	14,323	312,629												
Wash.	---	2,131	8,565	10,423	1,601	96	388	554	1,355	64	5,758	30,935												
Calif.	---	49,098	16,080	37,578	2,069	160	443	1,539	2,442	1,760	6,959	118,128												

1/ Combined to avoid disclosure of individual operations.

Mature chickens: Slaughtered under Federal Inspection, by regions and selected States, June 1966 and 1967

Region and State	Number inspected	Pounds		Average		Total pounds		Post-mortem condemnations			
		inspected		live weight		certified					
		1966	1967	1966	1967	1966	1967	1966	1967	1966	1967
	Thou.	1,000	1,000	Pounds	Pounds	1,000	1,000	pounds	pounds	Percent	Percent
N. Atl.	1,510	7,268	8,728	4.81	4.89	4,741	5,742	183	296	2.81	3.80
E. N. Cent.	1,722	7,373	6,997	4.28	4.23	4,774	4,495	220	253	3.33	4.05
W. N. Cent.	2,291	10,278	14,630	4.49	4.37	6,561	9,463	415	563	4.52	4.31
S. Atl.	2,062	11,006	14,397	5.34	4.81	7,298	9,308	325	444	3.31	3.46
S. Cent.	2,357	11,169	11,158	4.74	4.94	7,556	7,468	462	431	4.64	4.33
West.	1,697	7,201	6,861	4.24	4.00	4,566	4,286	314	344	4.87	5.62
U. S.	11,639	54,295	62,771	4.66	4.56	35,496	40,762	1,919	2,331	3.95	4.16
Maine	292	1,806	2,293	6.18	6.11	1,265	1,643	42	58	2.60	2.80
N. J.	1,063	4,018	4,582	4.23	4.31	2,481	2,841	113	196	3.14	4.80
Pa.	137	829	771	6.05	5.62	567	515	18	24	2.52	3.59
Ohio	496	2,061	2,092	4.16	4.10	1,308	1,332	63	81	3.41	4.34
Ind.	569	2,489	2,673	4.37	4.27	1,637	1,736	72	85	3.19	3.53
Ill.	460	1,858	1,427	4.04	4.20	1,190	892	59	60	3.53	4.74
Mich.	---	---	---	---	---	---	---	---	---	---	4.05
Wis.	154	784	469	5.10	4.90	526	320	19	15	2.77	3.69
Minn.	1,197	4,814	5,884	4.02	4.02	3,030	3,723	229	238	5.33	4.52
Mo.	590	3,423	4,447	5.80	5.53	2,346	2,992	96	143	3.15	4.00
Del. 3/	40	---	299	---	7.48	---	209	---	8	---	2.87
Md.	617	2,608	2,947	4.23	4.11	1,746	1,934	68	95	2.93	3.62
Va.	102	623	900	6.09	6.55	429	634	14	20	2.50	2.46
N. C.	497	3,435	2,555	6.91	6.46	2,321	1,705	102	77	3.34	3.37
Ga.	614	3,278	4,343	5.34	5.00	2,146	2,825	107	114	3.65	2.94
Tenn. 3/	276	1,157	---	4.19	---	892	---	44	---	4.22	---
Ala.	73	560	404	7.69	7.94	401	283	26	26	5.32	7.06
Miss.	1,148	4,841	5,849	4.22	4.16	3,249	3,911	190	238	4.40	4.56
Ark.	171	272	2,007	7.24	7.39	853	1,345	44	62	3.96	3.46
La.-Okla. 4/	166	1,004	899	6.05	7.08	675	628	36	26	4.00	3.22
Texas	522	2,363	1,946	4.53	4.92	1,483	1,267	122	76	5.74	4.41
Idaho 3/	18	81	---	4.41	---	50	---	6	---	8.37	---
Wash. 3/	111	489	---	4.42	---	316	---	19	---	4.25	---
Calif.	1,450	6,159	5,649	4.25	3.99	3,889	3,513	272	300	4.93	5.96

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected.

3/ Data for only 1 year published in order to avoid disclosure of individual operations.

4/ Combined to avoid disclosure of individual operations.

Percentages based on unrounded data.

Mature chickens: Number condemned post-mortem by cause, by regions and selected States, June 1967

Region and State	Tuber- culosis :		Leu- kosis :		Septi- cemia :		Airsac- culitis :		Syno- vitis :		Tumors :		Bruises :		Cadaver :		Contam- ination :		Over- seald :		Other :		Total :	
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	583	3,477	24,973	25	737	19,241	1,529	3,260	4,740	189	11,112	69,866												
E. N. Cent.	981	4,193	19,988	159	84	23,973	2,379	1,477	4,639	546	6,237	64,656												
W. N. Cent.	8,431	5,973	36,415	1,408	407	49,398	5,087	1,973	11,012	460	21,560	142,124												
S. Atl.	32	5,830	36,540	529	1,180	22,009	3,197	4,132	10,671	399	12,968	97,487												
S. Cent.	---	10,247	24,762	215	647	21,758	2,023	3,728	7,660	464	15,921	87,425												
West	---	1,919	41,258	124	343	35,474	2,627	1,015	3,484	429	13,245	99,918												
U. S.	10,027	31,639	183,936	2,460	3,398	171,853	16,842	15,585	42,206	2,487	81,043	561,476												
Maine	532	982	5,086	11	349	1,268	130	415	784	7	126	9,690												
N. J.	45	1,744	16,360	2	237	15,297	1,170	2,584	3,220	156	9,883	50,698												
Pa.	---	289	2,090	7	4	1,487	106	79	518	---	574	5,154												
Ohio	139	1,338	4,762	6	30	7,388	819	491	2,078	163	2,842	20,056												
Ind.	391	1,119	8,679	3	35	9,403	1,177	539	896	337	1,131	23,710												
Ill.	176	594	3,421	127	18	5,716	258	261	550	21	1,779	12,921												
Wis.	271	1,008	1,809	17	1	533	69	162	494	7	42	4,413												
Minn.	4,266	1,777	13,765	265	154	25,141	1,705	804	3,586	263	13,731	65,457												
Mo.	644	1,504	14,275	193	122	4,833	1,667	1,018	1,411	126	958	26,751												
Del.	---	184	446	37	14	72	11	39	103	5	89	1,000												
Md.	32	1,282	10,959	13	139	6,536	720	2,064	1,844	37	186	23,812												
Va.	---	326	2,436	13	74	460	102	193	149	4	5	3,762												
N. C.	---	795	4,763	170	424	1,579	424	229	1,446	86	799	10,715												
Ga.	---	1,134	9,255	61	456	4,499	857	987	3,016	56	4,403	24,724												
Ala.	---	186	1,527	17	16	182	28	21	887	---	86	2,950												
Miss.	---	1,141	12,232	21	165	20,752	1,566	3,121	4,879	342	10,169	54,388												
Ark.	---	595	4,421	109	178	194	108	136	476	---	811	7,028												
La.-Okla. 1/	---	424	2,264	22	168	79	56	95	404	9	312	3,833												
Texas	---	7,870	4,213	46	117	506	263	352	911	113	4,522	18,913												
Calif.	---	797	36,266	114	329	33,042	2,100	595	2,696	383	11,480	87,802												

1/ Combined to avoid disclosure of individual operations.

Young turkeys (mature): Slaughtered under Federal Inspection, by regions and selected States, June 1966 and 1967

Region and State	Number inspected	Pounds		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations					
		inspected (live weight)		inspected 1/		inspected 1/		inspected 1/					
		1966	1967	1966	1967	1966	1967	1966	1967				
		1,000	1,000	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Percent	Percent		
N. Atl.	46	124	675	1,695	14.67	13.67	536	1,321	3	11	0.49	0.72	
E. M. Cent.	260	359	4,419	6,551	17.00	18.25	3,537	5,272	67	82	1.68	1.39	
W. N. Cent.	1,167	1,530	17,756	24,295	15.22	15.88	14,323	19,543	214	324	1.34	1.48	
S. Atl.	540	870	9,480	15,469	17.56	17.78	7,475	12,236	150	343	1.76	2.47	
S. Cent.	899	1,202	14,959	21,585	16.64	17.96	11,864	17,006	267	383	1.99	1.98	
West.	1,345	1,879	25,030	34,296	18.61	18.25	20,127	27,597	404	647	1.80	2.10	
U. S.	4,257	5,964	72,319	103,891	16.99	17.42	57,862	82,975	1,105	1,790	1.70	1.92	
Pa.	40	114	558	1,552	14.09	13.65	449	1,215	2	11	.51	.83	
Ohio	57	169	860	3,137	15.05	18.57	661	2,537	5	35	.74	1.25	
Ind. 4/	---	43	---	644	---	14.87	---	516	---	6	---	---	1.03
Ill.-Mich. 3/ 4/	9	7	176	139	19.56	19.96	141	111	2	2	1.27	1.88	
Wis.	149	140	2,605	2,631	17.54	18.73	2,099	2,108	50	39	2.12	1.66	
Minn.	518	699	7,650	11,333	14.77	16.21	6,167	9,127	86	129	1.25	1.27	
Iowa	335	389	5,417	6,557	16.19	16.86	4,341	5,259	57	89	1.17	1.52	
Mo.	284	420	4,199	6,058	14.79	14.42	3,423	4,887	66	94	1.75	1.73	
Nebr. 4/	---	22	---	339	---	15.38	---	262	---	12	---	---	3.88
Va.	186	288	3,477	5,862	18.74	20.33	2,687	4,481	61	194	1.95	3.68	
N. C.	311	557	5,447	9,363	17.51	16.82	4,353	7,569	80	149	1.64	1.76	
Ark. 4/	182	---	2,745	---	15.05	---	2,211	---	43	---	1.74	---	
Texas	561	462	9,828	8,946	17.53	19.36	7,741	7,080	194	171	2.20	2.12	
Colo.	201	228	3,095	3,510	15.41	15.42	2,609	2,900	23	36	.83	1.13	
Utah 4/	83	196	1,535	3,375	18.49	17.24	1,226	2,693	14	38	1.06	1.24	
Calif.	1,042	1,374	20,104	26,233	19.29	19.09	16,065	21,065	366	563	2.03	2.39	

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Combined to avoid disclosure of individual operations.

4/ Data for only 1 year published in order to avoid disclosure of individual operations.

Young turkeys (mature): Number condemned post-mortem by cause, by regions and selected States, June 1967

Region and State	Tuber- cullosis	Leu- kosis	Septi- cemia	Airsac- culitis	Synovitis	Tumors	Bruises	Cadaver	Contam- ination	Over- scald	Other	Total
No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	181	287	64	8	5	13	17	99	---	8	682
E. N. Cent.	---	102	1,879	793	69	43	31	123	231	7	72	3,350
W. N. Cent.	---	96	8,337	5,598	409	79	344	517	1,089	138	329	16,936
S. Atl.	---	39	6,454	7,933	584	24	112	301	791	74	264	16,576
S. Cent.	---	268	11,185	4,697	1,475	97	182	423	1,011	35	945	20,318
West	---	103	16,114	8,949	2,809	386	327	976	1,234	298	638	31,834
U. S.	---	789	44,256	28,034	5,354	634	1,009	2,357	4,455	552	2,256	89,696
Pa.	---	165	268	64	6	3	13	16	95	---	7	637
Ohio	---	10	709	211	16	6	20	66	131	3	68	1,240
Ind.	---	18	168	97	35	---	2	7	18	4	1	350
Ill.-Mich. 1/	---	---	49	13	7	---	---	---	11	---	3	83
Wis.	---	74	953	472	11	37	9	50	71	---	---	1,677
Minn.	---	35	3,568	1,980	88	17	108	203	530	101	76	6,706
Iowa	---	1	2,188	1,335	25	57	104	112	196	19	196	4,233
Mo.	---	60	2,130	2,240	289	---	109	170	317	10	57	5,382
Nebr.	---	---	450	43	7	5	23	32	46	8	---	614
Va.	---	5	2,972	5,455	213	10	29	152	94	7	1	8,938
N. C.	---	34	3,436	2,394	370	13	83	148	693	67	262	7,500
Texas	---	63	3,282	2,827	1,049	86	60	223	214	6	708	8,518
Colo.	---	2	627	703	9	---	93	106	236	7	29	1,812
Utah	---	---	1,325	298	196	13	87	96	46	36	---	2,097
Calif.	---	99	13,727	7,910	2,576	373	126	737	913	186	609	27,256

1/ Combined to avoid disclosure of individual operations.

Fryer-roaster turkeys: Slaughtered under Federal Inspection, by regions and selected States, June 1966 and 1967

Region and State	Number inspected	Pounds		Average		Total pounds		Post-mortem condemnations	
		1966	1967	live weight inspected 1/	1966	1967	(Ready-to-cook wt.)	1966	1967
		1,000	1,000		1,000	1,000		1,000	1,000
N. Atl. 3/	8	68	31	8.54	8.94	51	24	---	---
E. N. Cent.	220	1,992	570	9.05	8.91	1,549	433	21	9
W. N. Cent.	623	5,560	3,450	8.92	9.45	4,390	2,731	80	45
S. Atl.	512	4,427	3,939	8.65	8.70	3,328	2,964	60	71
S. Cent.	27	228	467	8.44	8.34	177	347	3	16
West	252	2,099	1,809	8.33	8.19	1,622	1,394	27	20
U. S.	1,642	14,374	10,266	8.75	8.83	11,117	7,895	191	161
Ohio	28	0	263	9.30	0	204	0	2	0
Wis.	192	1,729	185	9.02	9.85	1,345	146	19	3
Minn.	575	5,266	3,240	9.16	9.53	4,160	2,563	80	42
Va.	477	4,118	3,939	8.64	8.70	3,088	2,964	58	71
Calif.	222	1,859	1,564	8.36	8.33	1,430	1,199	26	19

10

Fryer-roaster turkeys: Number condemned post-mortem by cause, by regions and selected States, June 1967

Region and State	Tuber- culosis	leu- kosis	Septi- cemia	Airsac- culitis	Synovitis	Tumors	Bruises	Cadaver : inflation	Centam- : Over- :	Other :	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	12	6	---	---	---	---	---	---	---	18
E. N. Cent.	---	5	304	115	9	---	37	45	85	2	602
W. N. Cent.	---	3	2,421	588	10	2	33	105	957	68	4,218
S. Atl.	---	4	3,035	4,164	221	1	49	197	303	5	7,980
S. Cent.	---	17	931	105	5	---	22	14	468	3	1,618
West	---	3	1,373	77	131	1	39	54	277	4	1,981
U. S.	---	44	8,070	5,049	376	4	180	415	2,090	82	16,417
Wis.	---	2	179	16	4	---	4	17	19	1	242
Minn.	---	3	2,332	556	10	1	20	101	846	64	3,960
Va.	---	4	3,035	4,164	221	1	49	197	303	5	7,980
Calif.	---	3	1,217	59	35	---	33	42	257	3	1,671

1/ Average weight based on unrounded data.
 2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.
 3/ Dashes mean less than 500 head or 500 pounds.

Old turkeys (breeders): Slaughtered under Federal Inspection, by regions and selected States, June 1966 and 1967

Region and State	Number inspected	Pounds		Average live weight inspected 1/		Total pounds certified		Post-mortem condemnations			
		1966	1967	1966	1967	1966	1967	1966	1967	1966	1967
		Thou.	Thou.	Pounds	Pounds	Pounds	Pounds	pounds	pounds	Percent	Percent
N. Atl. 3/	7	139	1,000	20.67	21.19	111	31	1	1,000	---	0.75
E. N. Cent.	107	2,042	1,853	19.08	19.71	1,640	1,452	42	33	2.29	1.98
W. N. Cent.	282	5,663	3,367	20.08	19.69	4,473	2,667	120	98	2.36	3.25
S. Atl.	53	1,050	1,180	19.81	19.03	834	934	26	33	2.76	3.11
S. Cent.	45	891	3,347	19.80	19.35	714	2,710	12	81	1.50	2.36
West.	170	3,394	4,709	19.96	20.21	2,701	3,687	107	138	3.51	3.26
U. S.	664	13,179	14,500	19.85	19.73	10,473	11,481	308	383	2.60	2.94
Ohio 4/	53	945	---	17.84	---	763	---	16	---	1.96	---
Minn.	139	2,763	2,477	19.83	19.17	2,186	1,962	55	80	2.24	3.61
Iowa 4/	26	535	---	20.22	---	419	---	13	---	2.79	---
Texas 4/	---	133	2,534	---	19.06	---	2,047	---	56	---	2.47
Calif.	65	1,265	2,038	19.52	19.00	1,008	1,566	43	71	3.75	3.86

Old turkeys (breeders): Number condemned post-mortem by cause, by regions and selected States, June 1967

Region and State	Tuber- culosis	Leu- kosis	Septi- cemia	Airsac- culitis	Synovitis	Tumors	Bruises	Cadaver	Contam- ination			Over- scald	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	1	4	---	---	2	1	---	3	---	4	---	15	---
E. N. Cent.	---	45	505	500	5	22	28	46	47	---	32	---	1,230	---
W. N. Cent.	---	39	1,774	1,252	31	40	60	69	340	83	30	---	3,718	---
S. Atl.	---	10	768	350	31	38	9	15	75	1	121	---	1,418	---
S. Cent.	---	11	1,052	840	12	96	14	73	243	26	963	---	3,330	---
West.	---	110	4,863	189	49	280	189	114	562	3	73	---	6,432	---
U. S.	---	216	8,966	3,131	128	478	301	317	1,270	113	1,223	---	16,143	---
Minn.	---	33	1,431	1,136	30	36	53	49	315	81	26	---	3,190	---
Texas	---	10	892	625	10	77	5	45	117	14	731	---	2,526	---
Calif.	---	6	2,727	80	7	264	12	40	325	1	73	---	3,535	---

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Dashes mean less than 500 pounds.

4/ Data for only 1 year published in order to avoid disclosure of individual operations.

OFFICIAL BUSINESS

Definitions

- Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.
- Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.
- Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.
- Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.
- Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.
- Ducks - Includes all ducks regardless of age and weight.
- Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

* * * *

The data presented in this report were compiled from reports collected by the Inspection Branch of the Poultry Division, Consumer and Marketing Service.